

TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission**

By:

**IIA Lab Services, LLC
13146 NW 86th Drive Suite 400
Alachua, FL 32615**

**Date of Grant: 03/04/2026
Application Dated: 03/04/2026**

Insight SiP

400 ave Roumanille, Greenside

Bat 7

Sophia antipolis, 06906

France

Attention: Chris Barratt , President

NOT TRANSFERABLE


EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AAQS-ISP5261
Name of Grantee: Insight SiP
Equipment Class: Digital Transmission System
Notes: Wi-Fi, BLE and Thread radio module
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2405.0 - 2480.0	0.023		
CC	15C	2412.0 - 2462.0	0.372		

Single module approval. Output Power listed is the maximum conducted output power. This device must be installed and operated so as to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures, or as evaluated in this filing. This device supports 20 and 40 MHz modes.

CC: This device is certified pursuant to two different Part 15 rules sections.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**IIA Lab Services, LLC
13146 NW 86th Drive Suite 400
Alachua, FL 32615**

**Date of Grant: 03/04/2026
Application Dated: 03/04/2026**

**Insight SiP
400 ave Roumanille, Greenside
Bat 7
Sophia antipolis, 06906
France**

Attention: Chris Barratt , President

NOT TRANSFERABLE


EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AAQS-ISP5261
Name of Grantee: Insight SiP
Equipment Class: Part 15 Spread Spectrum Transmitter
Notes: Wi-Fi, BLE and Thread radio module
Modular Type: Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15C	2402.0 - 2480.0	0.002		

Single module approval. Output Power listed is the maximum conducted output power. This device must be installed and operated so as to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures, or as evaluated in this filing.

CC: This device is certified pursuant to two different Part 15 rules sections.



TCB

**GRANT OF EQUIPMENT
AUTHORIZATION**

TCB

**Certification
Issued Under the Authority of the
Federal Communications Commission**

By:

**IIA Lab Services, LLC
13146 NW 86th Drive Suite 400
Alachua, FL 32615**

**Date of Grant: 03/04/2026
Application Dated: 03/04/2026**

**Insight SiP
400 ave Roumanille, Greenside
Bat 7
Sophia antipolis, 06906
France**

Attention: Chris Barratt , President

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AAQS-ISP5261
Name of Grantee: Insight SiP
Equipment Class: **Unlicensed National Information Infrastructure TX**
Notes: **Wi-Fi, BLE and Thread radio module**
Modular Type: **Single Modular**

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
CC	15E	5180.0 - 5240.0	0.069		
CC	15E	5260.0 - 5320.0	0.04		
CC	15E	5500.0 - 5700.0	0.023		
CC	15E	5745.0 - 5825.0	0.017		

Single module approval. Output Power listed is the maximum conducted output power. This device must be installed and operated so as to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures, or as evaluated in this filing. This device supports 20 and 40 MHz modes.

CC: This device is certified pursuant to two different Part 15 rules sections.